


BRUCE 布鲁斯

X5

全新直驱包缝机

Power Saving Overlock Machine




怕跳针 · 怕断线 · 就用布鲁斯
NO BREAK · NO SKIP



怕跳针 · 怕断线 · 就用布鲁斯
NO BREAK · NO SKIP

X5


品名：全新直驱包缝机
Power Saving Overlock Machine



效率提升25%以上

Efficiency increase by 25% at least

比普通包缝机，效率提升25%以上，省电高达71%。
Compared with normal type, efficiency of B5 increase by 25% at least, powersaving 71%.



缝薄过厚，性能稳定

Suitable for light to heavy material with stable performance

从网纱到12层牛仔料，一机搞定，线迹美观。
Light and heavy materials can be sewing smoothly.




高效控油，良品率高

Efficiently oil control, clean sewing

采用金刚针杆全包式防油装置，有效降低面料油污，提高良品率。

Full covered needle bar structure prevents oil leakage, protect the fabric from oil pollution, keep clean sewing.



通轴传动，稳定安静

Coaxial driving, stable and reliable

降低整机力矩，机器运行稳定轻快，更加的经久耐用。

Reduce machine torque, make the sewing fast, stable and durable.



一键还原，操作无忧

One key to reset, easy operation

长按减号键可恢复出厂设置，更加人性化，不必为按错而烦恼。

Long press “-” key to factory reset, more humanized.



全新外观，稳定耐用

New outlook, more durable

德国工业设计，硬朗大气；全自动生产线，标准化加工，做工精良。

German industrial design, hale and hearty atmosphere; Full-automatic production line, assembly line operation, standardized processing, well-made.

技术参数 Specification

Model	Stitch Type	Needle	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
X5-2	接布缝 Fabric joint sewing	DC×27 11#	1	2	—	6	3.8	0.7-2	3.5	5500	525×360×510	28/36																																																																																										
X5-02×250	包兜缝 Pocket double chain rolling stitch	DC×27 14#	2	4	5	5	3.8	0.7-2	3.5	5500	525×360×510	28/36																																																																																										
X5-3-02/233	基本缝 Plain seaming	DC×27 11#	1	3	—	4	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										
X5-3-82/233	倒回缝 Back latching stitch	DC×27 11#	1	3	—	4	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										
X5-3-12/233	下摆缝 Bottom hemming	DC×27 11#	1	3	—	4	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										
X5-3-32R2/223	密拷缝 Baby overlock stitch	DC×27 9#	1	3	—	1.5	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										
X5-WF-3-02/213	无纺布 Non-woven fabric	DC×27 14#	1	3	—	4	8.5	—	5	5500	525×360×510	28/36																																																																																										
X5-4-M03/333	基本缝 Plain seaming	DC×27 11#	2	4	2	4	4.6	0.7-2	5.5	5500	525×360×510	28/36																																																																																										
X5-4-83/323	倒回缝 Back latching stitch	DC×27 11#	2	4	2	4	4.2	0.7-2	5.5	5500	525×360×510	28/36																																																																																										
X5-4-M03/333/H/M	厚料 Heavy fabric	DC×27 11#	2	4	2	4	4.6	0.7-2	6	5500	525×360×510	28/36																																																																																										
X5-MJ-4-53/233	毛巾缝 Towel ending	DC×27 11#	2	4	2	4	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										
X5-5-53/233	包条缝 Strip attach seaming	DC×27 14#	2	5	3	4	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										
X5-5-02A/233	薄料 Light fabric	DC×27 11#	2	5	3	4	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										
X5-5-03/233	5×5线迹 5×5 stitch	DC×27 14#	2	5	5	5	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										
X5-5-03/333	3×4线迹 3×4 stitch	DC×27 14#	2	5	3	4	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										
X5-5-A04/435	极厚料 Extra heavy fabric	DC×27 19#	2	5	5	6	5	0.8-1.5	7	5500	525×360×510	28/36																																																																																										
X5-6-03/333	基本缝 Plain seaming	DC×27 11#	3	6	3×2	4	3.8	0.7-2	5	5500	525×360×510	28/36																																																																																										

注 (Note) :

H/M: 厚薄适应性广。

H/M: wide range for light to heavy materials.

BRUCE 布鲁斯

400-8890-100
www.chinabruce.cn



台州市布鲁斯缝制设备有限公司
TaiZhou Bruce Sewing Machine Co.,Ltd.

浙江省台州市椒江区东海大道东段1008号2号楼
No.2 building No.1008 Eastern Section East Sea Road Jiaojiang
District Taizhou ,Zhejiang.